

PYFP310-XA (A款发泡泵)

发泡泵

FOAMING PUMP





典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率	Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径	Air Tap O.D.	Ø4.7mm			
抽液量	Water flow	30-100 mLPM			
气体流量	Air Flow	1.5-3.0 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程	Pump Head	≥0.5m			
吸程	Suction Head	≥0.5m			
重量	Weight	42g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

01

SHENZHEN PINCHENG MOTOR CO.,LTD
<http://www.pinchengmotor.com> Tel: +86-755-2879 9949 Fax: +86-755-2879 9811

A

PYFP310-XB (B款发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率	Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径	Air Tap O.D.	Ø6.3mm			
抽液量	Water flow	30-100 mLPM			
气体流量	Air Flow	1.5-3.0 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程	Pump Head	≥0.5m			
吸程	Suction Head	≥0.5m			
重量	Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP310-XC (C款发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流 Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率 Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径 Air Tap O.D.	Ø5.0mm			
抽液量 Water flow	30-100 mLPM			
气体流量 Air Flow	1.5-3.0 LPM			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程 Pump Head	≥0.5m			
吸程 Suction Head	≥0.5m			
重量 Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYFP310-XD (D款发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率	Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径	Air Tap O.D.	Ø4.5mm			
抽液量	Water flow	30-100 mLPM			
气体流量	Air Flow	1.5-3.0 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程	Pump Head	≥0.5m			
吸程	Suction Head	≥0.5m			
重量	Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP310-XE (E款发泡泵)

发泡泵

FOAMING PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流 Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率 Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径 Air Tap O.D.	Ø4.6mm			
抽液量 Water flow	30-100 mLPM			
气体流量 Air Flow	1.5-3.0 LPM			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程 Pump Head	≥0.5m			
吸程 Suction Head	≥0.5m			
重量 Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP310-XF (F款发泡泵)

发泡泵


FOAMING PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸



Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流	Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率	Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径	Air Tap O.D.	Ø6.0mm			
抽液量	Water flow	30-100 mLPM			
气体流量	Air Flow	1.5-3.0 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程	Pump Head	≥0.5m			
吸程	Suction Head	≥0.5m			
重量	Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP310-XG (G款发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 4.5V	DC 6V
额定电流 Rated Current	≤750mA	≤600mA	≤500mA	≤350mA
功率 Power	2.2 W	2.2 W	2.2 W	2.2 W
气嘴口径 Air Tap O.D.	Ø4.3vmm			
抽液量 Water flow	30-100 mLPM			
气体流量 Air Flow	1.5-3.0 LPM			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程 Pump Head	≥0.5m			
吸程 Suction Head	≥0.5m			
重量 Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYZP370-XA (皂液泵)

发泡泵

FOAMING PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:68.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V
额定电流	Rated Current	≤500mA	≤400mA	≤300mA	≤150mA
功率	Power	1.8 W	1.8 W	1.8 W	1.8 W
气嘴口径	Air Tap O.D.	Ø5.4mm			
最大水压	Maximum Water Pressure	≥50PSI (345kpa)			
水流量	Water flow	150-200 mLPM			
噪音	Noise Level	≤60db (30cm away)			
寿命测试	Life Test	≥ 200 hours (连续)			
扬程	Pump Head	≥1m			
吸程	Suction Head	≥1m			
重量	Weight	68g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP528-XA (528发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Hand sanitizer foaming machine
洗手液发泡机
- 特点：泵自带发泡器

外形尺寸

Dimension

WEIGHT:100.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications


额定电压	Rated Voltage	DC 3.6V	DC 6V	DC 12V	DC 12V
额定电流	Rated Current	≤400mA	≤250mA	≤150mA	≤100mA
功率	Power	1.2 W	1.2 W	1.2 W	1.2 W
气嘴口径	Air Tap O.D.	Ø7.9mm			
抽液量	Water flow	50-150 mLPM			
气体流量	Air Flow	3.5-4.5 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)			
扬程	Pump Head	≥0.5m			
吸程	Suction Head	≥0.5m			
重量	Weight	100g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYFP555-XL (L款发泡泵)

发泡泵

FOAMING PUMP




典型应用 Typical Applications

- Household appliances, car cleaning products
家用电器、汽车洗涤用品
- Watering can foam pump
喷壶发泡泵

外形尺寸

Dimension

WEIGHT:300.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	≤4860mA	≤3000mA	≤2000mA	≤1500mA	≤750mA
功率 Power	18 W	18 W	18 W	18W	18W
气嘴口径 Air Tap O.D.	Ø6.6mm				
抽液量 Water flow	0.1-0.6 LPM				
气体流量 Air Flow	8-12 LPM				
噪音 Noise Level	≤65db (30cm away)				
寿命测试 Life Test	≥ 100,000 Times (ON 2秒, OFF 2秒)				
扬程 Pump Head	≥0.5m				
吸程 Suction Head	≥0.5m				
重量 Weight	300g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。